


Appl. No.: 10/716,238
Art Unit: 1625

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of the Claims:

Claims 1-72 (cancelled).

73. (new) A compound of formula (V):




(V)

wherein:


Ar₁ and Ar₂ are each independently selected from C₆-C₁₀ aryl or heteroaryl;

wherein each of Ar₁ or Ar₂ may be independently optionally substituted with 1-3 substituents independently selected from:

- a) H, C₆-C₁₀ aryl, heteroaryl, F, Cl, Br, I, -CN, -CF₃, -NO₂, -OH, -OR₇, -O(CH₂)_pNR₉R₁₀, -OC(=O)R₇, -OC(=O)NR₉R₁₀, -O(CH₂)_pOR₈, -CH₂OR₈, -NR₉R₁₀, -NR₈S(=O)₂R₇, -NR₈C(=O)R₇, or -NR₈C(=S)R₇;
- b) -CH₂OR₁₁;
- c) -NR₈C(=O)NR₉R₁₀, -NR₈C(=S)NR₉R₁₀, -CO₂R₁₂, -C(=O)R₁₃, -C(=O)NR₉R₁₀, -C(=S)NR₉R₁₀, -CH=NOR₁₂, -CH=NR₇, -(CH₂)_pNR₉R₁₀, -(CH₂)_pNHR₁₁, -CH=NNR₁₂R_{12A}, -C(=NR₈)NR_{8A}R_{8B}, -NR₈C(=NH)R_{8A}, -



or



NR₈C(=NH)NR_{8A}R_{8B},

- d) -S(O)_yR₇, -(CH₂)_pS(O)_yR₇, -CH₂S(O)_yR₇; and

Appl. No.: 10/716,238
 Art Unit: 1625

- e) C₁-C₈ alkyl, C₂-C₈ alkenyl, or C₂-C₈ alkynyl, where:
- 1) each alkyl, alkenyl, or alkynyl group is unsubstituted; or
 - 2) each alkyl, alkenyl or alkynyl group is independently substituted with 1 to 3 groups independently selected from C₆-C₁₀ aryl, heteroaryl, F, Cl, Br, I, CF₃, -CN, -NO₂, -OH, -OR₇, -CH₂OR₈, -NR₉R₁₀, -O-(CH₂)_p-OH, -S-(CH₂)_p-OH, -X₁(CH₂)_pOR₇, X₁(CH₂)_pNR₉R₁₀, -X₁(CH₂)_pC(=O)NR₉R₁₀, -X₁(CH₂)_pC(=S)NR₉R₁₀, -X₁(CH₂)_pOC(=O)NR₉R₁₀, -X₁(CH₂)_pCO₂R₈, -X₁(CH₂)_pS(O)_yR₇, -X₁(CH₂)_pNR₈C(=O)NR₉R₁₀, -C(=O)R₁₃, -CO₂R₁₂, -OC(=O)R₇, -C(=O)NR₉R₁₀, -OC(=O)NR₁₂R_{12A}, O-tetrahydropyranyl, -C(=S)NR₉R₁₀, -CH=NNR₁₂R_{12A}, -CH=NOR₁₂, -CH=NR₇, -CH=NNHCH(N=NH)NH₂, -NR₈CO₂R₇, -NR₈C(=O)NR₉R₁₀, -NR₈C(=S)NR₉R₁₀, -NHC(=NH)NH₂, -NR₈C(=O)R₇, -NR₈C(=S)R₇, -NR₈S(=O)₂R₇, -S(O)_yR₇, -S(=O)₂NR₁₂R_{12A}, -P(=O)(OR₈)₂, -OR₁₁, and a C₅-C₇ monosaccharide where each hydroxyl group of the monosaccharide is independently either unsubstituted or is replaced by H, C₁-C₄ alkyl, C₁-C₄ alkoxy, or -O-C(=O)R₇;

X₁ is -O-, -S-, -N(R₈)-;

J is C₂-C₄ alkylene or Q-CO-;

Q is C₁-C₃ alkylene;

R_{2A} is H, C₁-C₆ alkyl, aryl or heteroaryl;

R_{4A} is H, C₁-C₆ alkyl, aryl or heteroaryl;

R₇ is C₁-C₆ alkyl, C₆-C₁₀ aryl, or heteroaryl;

R₈, R_{8A} and R_{8B} are each independently H, C₁-C₄ alkyl, or C₆-C₁₀ aryl;

R₉ and R₁₀ are independently selected from H, C₁-C₄ alkyl, and C₆-C₁₀ aryl; or R₉ and

R₁₀ together with the nitrogen to which they are attached, form a 3-7 member heterocyclic ring;

R₁₁ is the residue of an amino acid after the hydroxyl group of the carboxyl group is removed;

Appl. No.: 10/716,238
Art Unit: 1625

R_{12} and R_{12A} are each independently selected from H, C_1-C_6 alkyl, cycloalkyl, C_6-C_{10} aryl, and heteroaryl; or R_{12} and R_{12A} , together with the nitrogen to which they are attached, form a 5-7 member heterocyclic ring;

R_{13} is H, C_1-C_6 alkyl, cycloalkyl, C_6-C_{10} aryl, heteroaryl, $-C(=O)R_7$, $-C(=O)NR_9R_{10}$, or $-C(=S)NR_9R_{10}$;

p is from 1, 2, 3, or 4;

q is 0, 1, or 2;

t is 2, 3, or 4;

y is 0, 1 or 2;

or the stereoisomeric forms, mixtures of stereoisomeric forms, or pharmaceutically acceptable salt and ester forms thereof.

74. (new) The compound of claim 73 wherein Ar_1 and Ar_2 are phenyl and $q=1$.

75. (new) The compound of claim 73 wherein Ar_1 and Ar_2 are each independently phenyl or thienyl.

76. (new) The compound of claim 75 wherein Ar_1 and Ar_2 are phenyl.

77. (new) The compound of claim 73 wherein q is 1.

78. (new) The compound of claim 73 wherein J is C_2 alkylene.

79. (new) The compound of claim 73 wherein J is C_3 alkylene.


80. (new) The compound of claim 73 wherein R_{2A} is H or C_1-C_6 alkyl and R_{4A} is phenyl, thienyl or pyridyl.

81. (new) The compound of claim 80 wherein R_{4A} is phenyl.

82. (new) The compound of claim 73 wherein Ar_1 and Ar_2 are phenyl, q is 1, and J is C_2-C_3 alkylene.

Appl. No.: 10/716,238
Art Unit: 1625

83. (new) The compound of claim 73 wherein q is 1 and J is Q-CO to form a compound of formula (VI):




(VI)

84. (new) The compound of claim 83 wherein Q is C₁ alkylene.

85. (new) The compound of claim 83 wherein Q is C₂ alkylene.

86. (new) The compound of claim 83 wherein the compound is selected in accordance with the following table:




(VI)

No.	Ar ₁	Ar ₂	R _{2A}	Q	R _{4A}
VI-1	Phenyl	Phenyl	H	CH ₂	H
VI-2	Phenyl	Phenyl	H	CH ₂	CH ₃
VI-3	Phenyl	Phenyl	H	CH ₂	(CH ₂) ₂ OMe
VI-4	Phenyl	Phenyl	H	CH ₂	(CH ₂) ₂ OH
VI-5	Phenyl	Phenyl	H	CH ₂	(S)-CH(CH ₃)CH ₂ OH
VI-6	4-Fluorophenyl	4-Fluorophenyl	H	CH ₂	CH ₃
VI-7	3-Thienyl	3-Thienyl	H	CH ₂	H

Appl. No.: 10/716,238
Art Unit: 1625

No.	Ar ₁	Ar ₂	R _{2A}	Q	R _{4A}
VI-8	3-Thienyl	Phenyl	H	CH ₂	H
VI-9	Phenyl	Phenyl	H	(CH ₂) ₂	H

87. (new) A compound of formula (VII):



(VII)

wherein

X is a bond, -CH₂CH₂-, -O-, -S(O)_q-, -N(R₈)-, -CHN(R₈)-, -CH=CH-, -CH₂-CH=CH-, C(=O)-, -C(R₈)=N-, -N=C(R₈)-, -C(=O)-N(R₈)-, or -NR₈-C(=O)-;


Rings A and B, together with the carbon atoms to which they are attached, are each independently selected from:

- a) a 6-membered aromatic carbocyclic ring in which from 1 to 3 carbon atoms may be replaced by hetero atoms selected from oxygen, nitrogen and sulfur; and
- b) a 5-membered aromatic carbocyclic ring in which either:
 - i) one carbon atom is replaced with an oxygen, nitrogen, or sulfur atom;
 - ii) two carbon atoms are replaced with a sulfur and a nitrogen atom, an oxygen and a nitrogen atom, or two nitrogen atoms; or
 - iii) three carbon atoms are replaced with three nitrogen atoms, one oxygen and two nitrogen atoms, or one sulfur and two nitrogen atoms;


wherein Ring A and Ring B may each independently be substituted with 1-3 substituents selected from:

Appl. No.: 10/716,238
Art Unit: 1625

- a) H, C₆-C₁₀ aryl, heteroaryl, F, Cl, Br, I, -CN, -CF₃, -NO₂, -OH, -OR₇, -O(CH₂)_pNR₉R₁₀, -OC(=O)R₇, -OC(=O)NR₉R₁₀, -O(CH₂)_pOR₈, -CH₂OR₈, -NR₉R₁₀, -NR₈S(=O)₂R₇, -NR₈C(=O)R₇, or -NR₈C(=S)R₇;
- b) -CH₂OR₁₁;
- c) -NR₈C(=O)NR₉R₁₀, -NR₈C(=S)NR₉R₁₀, -CO₂R₁₃, -C(=O)R₁₃, -C(=O)NR₉R₁₀, -C(=S)NR₉R₁₀, -CH=NOR₁₂, -CH=NR₇, -(CH₂)_pNR₉R₁₀, -(CH₂)_pNHR₁₁, -CH=NNR₁₂R_{12A}, -C(=NR₈)NR_{8A}R_{8B}, -NR₈C(=NH)R_{8A},



or



NR₈C(=NH)NR_{8A}R_{8B},

- d) -S(O)_yR₇, -(CH₂)_pS(O)_yR₇, -CH₂S(O)_yR₇; and
- e) C₁-C₈ alkyl, C₂-C₈ alkenyl, or C₂-C₈ alkynyl, where:
- each alkyl, alkenyl, or alkynyl group is unsubstituted; or
 - each alkyl, alkenyl or alkynyl group is independently substituted with 1 to 3 groups independently selected from C₆-C₁₀ aryl, heteroaryl, F, Cl, Br, I, CF₃, -CN, -NO₂, -OH, -OR₇, -CH₂OR₈, -NR₉R₁₀, -O-(CH₂)_p-OH, -S-(CH₂)_p-OH, -X₁(CH₂)_pOR₇, X₁(CH₂)_pNR₉R₁₀, -X₁(CH₂)_pC(=O)NR₉R₁₀, -X₁(CH₂)_pC(=S)NR₉R₁₀, -X₁(CH₂)_pOC(=O)NR₉R₁₀, -X₁(CH₂)_pCO₂R₈, -X₁(CH₂)_pS(O)_yR₇, -X₁(CH₂)_pNR₈C(=O)NR₉R₁₀, -C(=O)R₁₃, -CO₂R₁₂, -OC(=O)R₇, -C(=O)NR₉R₁₀, -OC(=O)NR₁₂R_{12A}, O-tetrahydropyranyl, -C(=S)NR₉R₁₀, -CH=NNR₁₂R_{12A}, -CH=NOR₁₂, -CH=NR₇, -CH=NNHCH(N=NH)NH₂, -NR₈CO₂R₇, -NR₈C(=O)NR₉R₁₀, -NR₈C(=S)NR₉R₁₀, -NHC(=NH)NH₂, -NR₈C(=O)R₇, -NR₈C(=S)R₇, -NR₈S(=O)₂R₇, -S(O)_yR₇, -S(=O)₂NR₁₂R_{12A}, -P(=O)(OR₈)₂, -OR₁₁, and a C₅-C₇ monosaccharide where each hydroxyl group of the monosaccharide is independently either unsubstituted or is replaced by H, C₁-C₄ alkyl, C₁-C₄ alkoxy, or -O-C(=O)R₇;

J is C₂-C₄ alkylene or Q-CO-;

Q is C₁-C₃ alkylene;

R_{2A} is H, C₁-C₆ alkyl, aryl or heteroaryl;

Appl. No.: 10/716,238
Arl Unit: 1625

R_{4A} is H, C_1 - C_6 alkyl, aryl or heteroaryl;

R_7 is C_1 - C_6 alkyl, C_6 - C_{10} aryl, or heteroaryl;

R_8 , R_{8A} and R_{8B} are each independently H, C_1 - C_4 alkyl, or C_6 - C_{10} aryl;

R_9 and R_{10} are independently selected from H, C_1 - C_4 alkyl, and C_6 - C_{10} aryl; or R_9 and R_{10} together with the nitrogen to which they are attached, form a 3-7 member heterocyclic ring;

R_{11} is the residue of an amino acid after the hydroxyl group of the carboxyl group is removed;

R_{12} and R_{12A} are each independently selected from H, C_1 - C_6 alkyl, cycloalkyl, C_6 - C_{10} aryl, and heteroaryl; or R_{12} and R_{12A} , together with the nitrogen to which they are attached, form a 5-7 member heterocyclic ring;

R_{13} is H, C_1 - C_6 alkyl, cycloalkyl, C_6 - C_{10} aryl, heteroaryl, $-C(=O)R_7$, $-C(=O)NR_9R_{10}$, or $-C(=S)NR_9R_{10}$;

X_1 is $-O-$, $-S-$, $-N(R_8)-$;

p is from 1 to 4;

q is 0, 1, or 2;


t is 2, 3, or 4;

y is 0, 1 or 2;

or the stereoisomeric forms, mixtures of stereoisomeric forms, or pharmaceutically acceptable salt and ester forms thereof.

88. (new) The compound of claim 87, wherein rings A and B are phenylene; X is a bond or $-O-$ and $q=1$.

89. (new) The compound of claim 88 having the formula (VII-1):



(VII-1)

Appl. No.: 10/716,238
Art Unit: 1625

90. (new) The compound of claim 87 wherein rings A and B are each independently selected from phenylene and thienylene.

91. (new) The compound of claim 90 wherein rings A and B are phenylene.

92. (new) The compound of claim 87 wherein q is 1.

93. (new) The compound of claim 87 wherein X is a bond, -O-, or CH₂CH₂.


94. (new) The compound of claim 93 wherein X is a bond.

95. (new) The compound of claim 87 wherein J is C₂ alkylene.

96. (new) The compound of claim 87 wherein J is C₃ alkylene.

97. (new) The compound of claim 87 wherein rings A and B are phenylene, X is a bond, -O-, or CH₂CH₂, q is 1, and J is C₂-C₃ alkylene.


98. (new) The compound of claim 87 wherein q is 1; and J is Q-CO- to form a compound of formula (VIII):



99. (new) The compound of claim 98 wherein rings A and B are phenylene; and X is a bond or -O-.

Appl. No.: 10/716,238
Art Unit: 1625

100. (new) The compound of claim 98 wherein the compounds are selected in accordance with the following table:



(VIII)

No.	A	B	X	R _{2A}	Q	R _{4A}
VIII-1	Phenylene	Phenylene	bond	H	CH ₂	H
VIII-2	Phenylene	Phenylene	bond	H	CH ₂	Me
VIII-3	Phenylene	Phenylene	bond	H	CH ₂	(CH ₂) ₂ OMe
VIII-4	Phenylene	Phenylene	bond	H	CH ₂	(CH ₂) ₂ OH
VIII-5	Phenylene	Phenylene	bond	H	CH ₂	CH(CH ₃)CH ₂ OH
VIII-6	Phenylene	Phenylene	bond	H	CH ₂	OH
VIII-7	Phenylene	Phenylene	bond	H	CH ₂	CH ₂ -(4-methoxyphenyl)
VIII-8	Phenylene	Phenylene	bond	H	CH ₂	Ph
VIII-9	Phenylene	Phenylene	bond	H	(CH ₂) ₂	H

101. (new) A method of treating diseases or disorders in a subject in need thereof comprising administering a therapeutically effective amount of a compound of claim 73 or 87 to the subject for the treatment of sleepiness, tiredness, Parkinson's disease, cerebral ischemia, stroke, sleep apneas, eating disorders, attention deficit hyperactivity disorder, cognitive dysfunction or fatigue; or for the promotion of wakefulness, stimulation of appetite, or stimulation of weight gain.

102. (new) The method of claim 101 wherein the compound is administered for the treatment of sleepiness.

Appl. No.: 10/716,238
Art Unit: 1625

103. (new) The method of claim 101 wherein the compound is administered for the treatment of attention deficit hyperactivity disorder.

104. (new) The method of claim 101 wherein the compound is administered for the promotion of wakefulness.

105. (new) A method of treating diseases or disorders in a subject in need thereof comprising administering a therapeutically effective amount of a compound of claim 73 or 87 to the subject for the treatment of disorders associated with hypofunctionality of the cerebral cortex.

106. (new) The method of claim 105 wherein the compound is administered for the treatment of depression, schizophrenia, or chronic fatigue syndrome.

107. (new) A pharmaceutical composition comprising a compound of claim 73 or 87 in admixture with one or more pharmaceutically acceptable excipients.